

NEW

DEKS

ENGINEERED **REPAIR CLAY**



***The New KS-22™
Space Age Formula***

www.deks.com.au

Follow
Us On



ENGINEERED REPAIR CLAY

The specially formulated repair clay is ideal for temporarily fixing leaks, cracks, and plugging holes, as well as bonding to a range of diverse materials. The new KS-22™ space-age formula, with advanced chemistry, helps the clay set in ten minutes and harden in 60 minutes, with full curing occurring 24 hours after application.

Once hardened, the surface can be drilled, tapped, filled, machined, sanded, and painted.



Set Time: 10 Minutes

Full Cure: 24 Hours
(for maximum strength)



Fast-setting

Sets in ten minutes to carry out quick emergency repairs, preventing further damages or leaks.



Hand mouldable

Can be easily mixed by hand without the need for any specialist tools.



Versatile

Moulds into different shapes and is versatile for gap filling and surface repairs.



Engineered

Specially formulated range to suit a wide variety of materials and applications.



Resistance

Excellent resistance to oils, hydro carbons and most solvents.



An economical solution to temporarily fix leaks and reduce expensive damage to your home or property.

The New KS-22™ Space Age Formula



Set Time: 10 Minutes

Full Cure: 24 Hours

RCW80

Wood

Furniture • Floors • Window Frames • Door Frames



*This specially formulated repair clay is fast-setting and ideal to temporarily fix, repair and rebuild wood. It is easy to mix by hand and once hardened, can be drilled, tapped, filled, machined, sanded, and painted. Hardens in **60 minutes**, full cure (for maximum strength) occurs after **24 hours** from application. The DEKS Repair Clay for wood is an ideal solution to temporarily fix **wooden furniture, trim boards, window frames, and door frames.***

Materials:

- Hard & soft wood
- Rotted wood
- Timber
- PVC (trim boards)

RCC80

Concrete

Tiles • Floors • Statues • Benchtops



*This specially formulated repair clay is fast-setting and ideal to temporarily fix leaks, cracks and repatch Concrete parts. It is easy to mix by hand and once hardened, can be drilled, tapped, filled, machined, sanded, and painted. Hardens in **60 minutes**, full cure (for maximum strength) occurs after **24 hours** from application. The DEKS Concrete repair clay is an ideal solution to temporarily fix **concrete tiles, floors, granite benchtops, planter boxes, and statues.***


Materials:

- Concrete
- Stone
- Brick
- Clay

RCCU80

Copper

Pipes • Bathroom Fittings • Hardware • Furniture



*This specially formulated repair clay is fast-setting and ideal to temporarily fix leaks, cracks and repatch any part made out of Copper. It is easy to mix by hand and once hardened, can be drilled, tapped, filled, machined, sanded, and painted. Hardens in **60 minutes**, full cure (for maximum strength) occurs after **24 hours** from application. The DEKS Copper repair clay is ideal to temporarily fix **copper pipes, bed frames, bathroom fittings, doorknobs, engine blocks, and transmission housings made out of Copper.** It can be used for cold weld applications.*


Materials:

- Copper
- Brass
- Cast Iron
- Stainless Steel

RCS80

Steel

Machine Parts • Threads • Shelves • Frames



*This specially formulated repair clay is fast-setting and ideal to temporarily fix leaks, cracks and repatch steel parts. It is easy to mix by hand and once hardened, can be drilled, tapped, filled, machined, sanded, and painted. Hardens in **60 minutes**, full cure (for maximum strength) occurs after **24 hours** from application. The DEKS Steel repair clay is an ideal solution to temporarily fix **exhaust systems, automotive parts, machine parts, stripped threads, and a wide variety of parts made from steel.***

Materials:

- Steel
- Stainless Steel
- Ferrous metals
- Ceramic

The New KS-22™ Space Age Formula



Set Time: 10 Minutes

Full Cure: 24 Hours

RCM80

Metal

Tanks • Sheets • Pipes • Tools



*This specially formulated repair clay works with a wide range of materials to temporarily fix leaks, cracks and plug holes. It is easy to mix by hand and is fast setting. Once hardened, can be drilled, tapped, filled, machined, sanded and painted. Hardens in **60 minutes**, full cure (for maximum strength) occurs after **24 hours** from application. The DEKS repair clay bonds to and can be used with a wide range of metal applications for **automotive, plumbing and many more**.*

Materials:

- Stainless Steel
- Titanium
- Brass
- Cast iron

RCAL80

Aluminium

Casings • Fridge Parts • Frames • Sport Equipment



*This specially formulated repair clay is fast-setting and ideal to temporarily fix leaks, cracks and repatch any parts made out of Aluminium. It is easy to mix by hand and once hardened, can be drilled, tapped, filled, machined, sanded, and painted. Hardens in **60 minutes**, full cure (for maximum strength) occurs after **24 hours** from application. The DEKS Aluminium Repair Clay is ideal to fix **Refrigeration/Air conditioning unit parts, shelves, exhausts, casings, wheels, gutters, and anything made out of Aluminium**.*

Materials:

- Aluminium
- Brass
- Stainless Steel
- Cast Iron

RCCU80

Plumbing

Plastic • Fibreglass • Metal • Ceramics



*This specially formulated repair clay is fast-setting and an ideal solution for many emergency plumbing repairs. It is easy to mix by hand and once hardened, can be drilled, tapped, filled, machined, and painted. Hardens in **60 minutes**, full cure (for maximum strength) occurs after **24 hours** from application. The DEKS Plumbing repair clay is ideal to fix **leaks in copper pipes, freeze damaged PVC pipes, and leaking elbow and tees**. It can bond to and can be used with a wide range of materials, including cold weld applications.*


Materials:

- Fibreglass
- Tile
- Plastic
- Metal

RCS80

Roofing & Gutter

Concrete • Metal • Polycarbonate



*This specially formulated repair clay is fast-setting (ten minutes) and ideal to temporarily fix leaks, cracks and plug holes in your roofs and gutters. It is easy to mix by hand and once hardened, can be drilled, tapped, filled, machined, sanded, and painted. Hardens in **60 minutes**, full cure (for maximum strength) occurs after **24 hours** from application. The DEKS Roof and Gutter Repair Clay works on a wide range of roof applications including **broken tiles, cracked sheeting, and fastening points**.*

Materials:

- Concrete
- Brick
- Steel
- Aluminium

The New KS-22™ Space Age Formula



Set Time: 10 Minutes

Full Cure: 24 Hours

RCWS80

Wet Surface

Pools • Aquariums • Bathtubs • Water Tanks

The DEKS Wet surface repair clay has been uniquely formulated to temporarily fix leaks, cracks and repatch wet surfaces or surfaces under water. It is easy to mix by hand and once hardened, can be drilled, tapped, filled, machined, and painted. Hardens in **60 minutes**, full cure (for maximum strength) occurs after **24 hours** from application. This is ideal to carry out temporary **repairs to pools, aquariums, bath tubs, water and fuel tanks** made from a range of materials.

Materials:

- Fibreglass
- Concrete
- Glass
- Metal

RCEX80

Exhaust & Radiator

Catalytic Converters • Mufflers • Tail Pipes

The DEKS Exhaust and Radiator repair clay has been specially engineered to carry out emergency repairs to **radiators** and **exhausts**. It is easy to mix by hand and sets within 10 minutes. Once hardened, can be drilled, tapped, filled, machined, and painted. Hardens in **60 minutes**, full cure (for maximum strength) occurs after **24 hours** from application.

Materials:

- Steel
- Titanium
- Aluminium
- Brass



Apply in
3 easy steps



PREP



MIX



APPLY

Refer to TDS & SDS for directions and safe handling.

www.deks.com.au

DEKS

Material & Application Variants

The ten variants have been scientifically curated for specific materials and applications.



**Click button
to place your
pre-orders**

DEKS Code	Description	Colour	Box Qty.
RCW80	Repair Clay Wood 80gm	Wood	10
RCC80	Repair Clay Concrete 80gm	Concrete	10
RCCU80	Repair Clay Copper 80gm	Copper	10
RCS80	Repair Clay Steel 80gm	Steel	10
RCM80	Repair Clay Metal 80gm	Metal	10
RCAL80	Repair Clay Aluminium 80gm	Aluminium	10
RCPL80	Repair Clay Plumbing 80gm	Plumbing	10
RCRG80	Repair Clay Roofing & Gutter 80gm	Roofing & Gutter	10
RCWS80	Repair Clay Wet Surface 80gm	Wet Surface	10
RCEX80	Repair Clay Exhaust & Radiator 80gm	Exhaust & Radiator	10



www.deks.com.au

*Follow
Us On*



Version 6.0