DEKS

Installation & Warranty Guidelines :

Trap Seal

(TS-100)

Follow Us On

Trap-Seal
(TS-100)

Installation Instructions



Step 1

Remove the drain grate and clean the internal surface of the pipe.



Step 2

Clean the Trap-Seal with water then insert into the pipe.



Step 3

Ensure the Trap-Seal is flush with the pipe's surface and creates a seal. Close the drain grate to finish.

(Nominal flow rate: 130 litres per minute)

Installation Requirements: (Must be installed by a licensed practitioner)

- DEKS Trap-Seal is not to be used as an alternative to a water seal trap.
- DEKS Trap-Seal shall not be removed from the packaging until it is to be installed.
- DEKS Trap-Seal shall not be installed into an overflow gully (ORG) or puddle flange.
- DEKS Trap-Seal shall be installed clear of obstructions, including, but not limited to:
    - An existing water level with a trap,
    - Any inlets to a riser, and
    - Any above-ground soil, waste and drainage pipe collars.

Maintenance: (Must be maintained by a licensed practitioner)

- The DEKS Trap-Seal varies with maintenance depending on the sites it's used.
- In commercial sites (hospitals, schools, offices, etc.), the DEKS Trap-Seal shall be checked every six months for any residues or foreign material being formed.
- While in the household or residential areas, they shall be checked yearly in case any foul odors or insects are observed from underneath the drain.

Steps for conducting the maintenance repair for DEKS Trap- Seal:

- Step 1: First, remove the grate cover and then the DEKS Trap-Seal from the drainpipe.
- Step 2: Please clean the DEKS Trap-Seal with hot water and try removing the residues or any foreign objects stuck in the DEKS Trap-Seal.
- Step 3: Place the DEKS Trap-Seal back into the drain grate by sealing it tightly to the drainpipe and closing it again.

Warranty:

- Please visit our website at: www.deks.com.au for full terms and conditions.
- To assist with any possible warranty claims, please email us at: info@deks.com.au

DEKS

Follow Us On